



















# FA(ALL)-MD PRO CONSUMABLES

ITEM	IMAGE	DESCRIPTION	PART NO. <small>FA / FA-V</small>	PART NO. <small>FA-P / FA-PS / FA-VS / FA-S</small>	QTY REQUIRED
DIAMOND GUIDE (UPPER)		.008" (0.2mm) Upper Diamond Guide	A600	A620	1
		D.D. GUIDE 0.2MM (A) UPPER FA30 COLUMN UP	A606	-	1
		.010" (0.25mm) Upper Diamond Guide	A601	A621	1
		D.D. GUIDE 0.25MM (A) UPPER FA30 COLUMN UP	A607	-	1
		D.D. GUIDE 0.3MM (A) UPPER FA30 COLUMN UP	A608	-	1
		D.D. GUIDE 0.36MM FAVS UPPER	DAL1800		1
DIAMOND GUIDE (LOWER)		.008" (0.2mm) Lower Diamond Guide	A603	A623	1
		.010" (0.25mm) Lower Diamond Guide	A604	A624	1
		.012" (0.3mm) Lower Diamond Guide	A605	A625	1
		D.D. GUIDE 0.36MM FAVS LOWER	DAM3400		1

ITEM	IMAGE	DESCRIPTION	PART NO.	QTY REQUIRED
FILTERS		OEM Van-TG High Performance Premium Filter	VFC169J	2
		CPG High Performance Filter	CPG169B	2
		3-5 MICRON MIT/MAK/FAN FA ADV/BA/NA/MD/SP/EU/IC/ID/IB	CPG1312-FMKIT	2
		3-5 MICRON FOR CX/FX/FA/QA/RA	CPG1312-QC	2
CARBIDES/ POWERFEEDS		VAN-TG POWER FEEDER EXT.D. LIFE	VPFC632-3	1
		POWER FEEDER AF2	S632	1
		UNPOLISHED POWER FEEDER	S632UP	1
		FA-V Power Feeder	DQ20600	1
FLUSH CUPS		UPPER FLUSH CUP 4MM AF2/AF3/AT FOR CX AF MACHINES	DQ44200	1
		UPPER FLUSH NOZZLE 8MM FOR AT, AF3, AF2	DQ44300	1
		FLUSHING NOZZLE (DWN) 4.0mm Replacing S606	DQ30300	1
		FLUSHING NOZZLE (DWN) 4.0mm	VFC606	1
		FLUSHING NOZZLE (DWN) 8.0MM [OEM]	DQ30400	1
		FLUSHING NOZZLE (DWN) 8.0MM [AFTERMARKET]	VFC633	1
RESIN		Regeneration Coupon for 1/2 Cubic Foot Resin Sock	A403A	1
		Regeneration Coupon for 1.4 Cubic Foot Resin Tank	A448A	1
RESIN PRE-FILTERS		1 MICRON PRE FILTER	A405A1	1
		5 MICRON PREFILTER CTRG 8BIG5MI	A405	1
		20 MICRON PREFILTER	A429	1



ITEM	IMAGE	DESCRIPTION	PART NO.	QTY REQUIRED
FLUIDS		CPG-CLEAN 1 GALLON CONTAINER	CPG-CLEAN-1G	1
		CLC CORROSION INHIBITOR 1 GALLON CONTAINER	Enviro-CI	1
		VAN-TG ULTRASONIC CLEANER KIT	VUC001	1
		WATER SOLUBLE ALKALINE CLEANER 16 OZ BOTTLE FOR CLEANER KIT	A168-Z16	1
WIRE PROCESSOR		Wire Chopper with Fixed Blade	CPG-CLEAN-1G	1
		Extended life Chopper	Enviro-CI	1
		FIXED BLADE FA	DAY6100	1
RECOMMENDED WIRE(S)		Van-TG Premium Non Paraffin Wire (148,000 psi)	<b>CONTACT CPG 888-297-9895</b>	
		Van-TG Standard Wire		
		CPG-ZT Hybrid		
		CPG-Xpress Zinc Coated Wire		

